



QOLTEC REUSABLE SELF-LOCKING CABLE TIE | 7.2*150 MM | NYLON UV | WHITE

PRICE: -,-- EUR

SHIPPING TIME: 24 HOURS

CATALOG NUMBER: 52226

EAN CODE: 5901878522265

WAGA NETTO [KG]: 0.155

WAGA BRUTTO [KG]: 0.166

SZEROKOŚĆ OPAKOWANIA [MM]: 150

GŁĘBOKOŚĆ / DŁUGOŚĆ OPAKOWANIA [MM]: 250

WYSOKOŚĆ OPAKOWANIA [MM]: 35

PRODUCENT: QOLTEC

DŁUGOŚĆ: 150MM

ZAWARTOŚĆ OPAKOWANIA: OPASKA ZACISKOWA
WIELORAZOWA 100 SZTUK

COLOUR: WHITE

WARRANTY: 24 MONTHS

ADDITIONAL INFORMATION: - EASY OF USE - UV
RESISTANCE - HIGH THERMAL RESISTANCE - HIGH
MECHANICAL STRENGTH - RESISTANT TO ACIDS -
RESISTANT TO HIGH TEMPERATURE - EROSION-
RESISTANT

MATERIAL: NYLON66

QUANTITY: 100 SZT.


OPERATING TEMPERATURE: -35°C DO 85°C

RESISTANCE GRADE: UL 94 KL. V2



ITEM DESCRIPTION

WHAT IS THE SELF-LOCKING CABLE TIE ?



QOLTEC BRAND SELF-LOCKING CABLE TIE ARE MADE OF FLEXIBLE AND DURABLE NYLON. THEY ARE DESIGNED TO CONNECT DIFFERENT TYPES OF ELEMENTS TOGETHER, SUCH AS CABLE ORGANIZATION. THANKS TO THEIR VERSATILITY, THEY ARE USED VIRTUALLY EVERYWHERE. AMONG OTHER THINGS, THEY CAN BE FOUND IN THE HOUSEHOLD, TELECOMMUNICATIONS, AUTOMOTIVE WORKSHOPS, GARDENING, ELECTRICAL INSTALLATIONS, WAREHOUSES AND MORE.

HOW TO USE SELF-LOCKING CABLE TIE ?



THE USE SELF LOCKING CABLE TIES IS VERY QUICK AND EASY. JUST FIT THE CLAMP TO THE OBJECTS TO BE JOINED, THEN PUT THE END OF THE CLAMP THROUGH THE HOLE AND CLAMP. THE CLAMP IS VERY FLEXIBLE AND ELASTIC, WHICH ALLOWS YOU TO EASILY ADJUST THE CLAMP. IN ADDITION, THE EVENLY SPACED TEETH ON THE TIP WILL MAKE IT EASIER TO ACCURATELY FIT THE PARTS TO BE JOINED.

CHOOSE HIGH QUALITY

THE QOLTEC BRAND SELF LOCKING CABLE TIE IS A TOP QUALITY, REUSABLE, TEAR-RESISTANT PRODUCT. THE SELF LOCKING CABLE TIES RETAIN THEIR PROPERTIES IN THE TEMPERATURE RANGE FROM -35°C TO +85°C. THEY FEATURE UV RESISTANCE AND CHEMICAL RESISTANCE.

CONFIDENCE BACKED BY WARRANTY

DO YOU CARE ABOUT THE HIGH QUALITY OF THE PRODUCT YOU BUY? OUR SOLUTIONS WILL MEET YOUR EXPECTATIONS.

SELF LOCKING CABLE TIE ARE COVERED BY A 24-MONTH WARRANTY VALID FROM THE DATE OF PURCHASE.