



QOLTEC DC SURGE PROTECTOR ARRESTER | 3P | 1000V | T2 | C

PRICE: -,-- EUR

SHIPPING TIME: 24 HOURS

CATALOG NUMBER: 52586

EAN CODE: 5901878525860

PRODUCENT: QOLTEC

TYP: ZABEZPIECZENIE PRZECIĄŻENIOWE DC

NAPIĘCIE ZNAMIONOWE: 1000V

LICZBA BIEGUNÓW: 3P

MONTAŻ: SZYNA DIN TH35

STOPIEŃ OCHRONY: IP20

MATERIAŁ: P66 + MIEDŹ

KLASA: II

ZASTOSOWANIE: SYSTEMY FOTOWOLTAICZNE

WILGOTNOŚĆ WZGLĘDNA PRZECHOWYWANIA: 30%-90%

TEMPERATURA PRACY: -10°C ~ +85°C

OPAKOWANIE: POLYBAG

GŁĘBOKOŚĆ / DŁUGOŚĆ OPAKOWANIA [MM]: 65

SZEROKOŚĆ OPAKOWANIA [MM]: 54

WYSOKOŚĆ OPAKOWANIA [MM]: 90

WAGA NETTO [KG]: 0.284

WAGA BRUTTO [KG]: 0.285

WYMIARY (G/D X SZ X W): 65 X 54 X 90 MM

CERTYFIKAT: CE

GWARANCJA: 24 MIESIĄCE

TEST WYTRZYMAŁOŚCI: 3.2KV




ITEM DESCRIPTION

PROTECT YOUR GOODS AND YOUR FAMILY - INVEST IN SECURITY



EVERY CIRCUIT OF AN ELECTRICAL INSTALLATION MUST BE PROPERLY PROTECTED FROM THE EFFECTS OF OVERLOAD AND SHORT-CIRCUIT, SO IT IS **OBLIGATORY TO USE APPROPRIATE PROTECTION**. ONE SUCH DEVICE IS A **SURGE ARRESTER, ALSO KNOWN AS A PROTECTOR OR LIGHTNING ARRESTER, WHICH LOWERS THE VOLTAGE SPIKE AND BRINGS IT TO GROUND**. ARRESTER EFFECTIVELY ELIMINATES THE RISK OF DAMAGE TO THE INSTALLATION CAUSED BY A TRANSIENT OVERVOLTAGE, SHORT CIRCUIT OR LIGHTNING STRIKE, WHICH CAN DAMAGE THE NETWORK AND CONNECTED EQUIPMENT.

CLEVERLY KEEPS YOU OUT OF DANGER



QOLTEC BRAND SURGE ARRESTERS ARE **EQUIPPED WITH HIGH VOLTAGE SENSORS AND A 3-STAGE DC SWITCH**. THE PROTECTION CONSISTS OF A BASE PART AND PLUG-IN PROTECTION MODULES. IT IS SUITABLE **FOR USE IN PHOTOVOLTAICS**. IN ADDITION, THE PRODUCT IS CHARACTERIZED BY :

- HIGH-ENERGY VARISTOR ALLOWS FAST RESPONSE TIME - **LESS THAN 25 NANoseconds**,
- **COMPLIANCE WITH EN 50539-11**,
- EASY INSTALLATION AND MAINTENANCE OF THE PRODUCT,
- MOUNTING ON DIN RAIL TH35-7.5/DIN35,
- **3 STEP DC SWITCH**,
- **PLUG-IN PROTECTION MODULE**,
- SIGNALING,

CONFIDENCE CONFIRMED BY A WARRANTY



DO YOU CARE ABOUT THE HIGH QUALITY OF THE PRODUCT YOU BUY? OUR SOLUTIONS WILL MEET YOUR EXPECTATIONS. THE PRODUCT COMES WITH A **24-MONTH WARRANTY VALID FROM THE DATE OF PURCHASE.**